

EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE



ENTRY DOORS
2020



With good basics, you will
have endless options.



ENTRY DOORS

Built for the Canadian Climate

Madero's Entry Series door systems are tailored to withstand the extreme Canadian climate. A versatile program featuring single exterior door openings used throughout your home and yard. Steel and fiberglass slabs are partnered with wood, composite or aluminum clad frames. Madero doors are built with quality and performance in mind, with options to fit your style and budget.

Table of Contents

DOOR SYSTEMS	4-17
Economy.....	4-5
Basic.....	6-7
Maverick.....	8-9
Dakota.....	10-11
Titan	12-13
Workhouse Combo.....	14-15
Add-Ons	16-17
EXTERIOR GLASS OPTIONS.....	18-19
SPECIFICATIONS	20-25
Pre-Finishing.....	20-21
Steel vs Fiberglass Doors	22
Wood vs Composite Frames.....	23
Product Comparisons and Measurements.....	24
Checklist for Ordering.....	25



M ECONOMY

High Definition Steel Slab Wood Frame

The Economy entry level unit, designed specifically for garages and outbuildings, combines a primed steel inswing 6 panel door with a wood frame.



SPECS

DOOR	24 gauge primed high-definition steel, bright white; primed wood stiles and top rail; polyurethane core with 12" wood lock block.
FRAME	Kiln-dried, finger-jointed primed pine; available in 4-9/16" and 6-9/16" jamb depth; see page 23 for product details; brickmould not included on Economy door systems.
WARRANTY	5 year limited manufacturer's warranty on door slab. 5 year limited manufacturer's warranty on frame and components if painted within 45 days of purchase.


DOOR DESIGN AVAILABLE



6 Panel only

OPTIONS

DRILLING	Single or double drill available
SIZES	Widths: 2/8 and 3/0; Height: 6/8
SWING	Inswing only, left or right handed
ADD-ONS	Brickmould set sold separately





*Cutout without glass

M BASIC

High Definition Steel Slab Wood Frame

The Basic offers style, function and most importantly, affordability. It features high definition bright white steel combined with a wood frame for an economical and steadfast entry solution.




SPECS

DOOR	24 gauge primed high-definition steel, bright white; primed wood stiles and top rail; polyurethane core with 12" wood lock block.
FRAME	Kiln-dried, finger-jointed primed pine; available in 4-9/16" and 6-9/16" jamb depth; see page 23 for product details.
FRAME CLADDING	Available with white or black aluminum cladding (exterior of jamb only) with optional slimline aluminum brickmould.
GLASS	Optional glass inserts can be factory installed in the 6 Panel 23" x 37" cutout. For designs refer to page 19.
WARRANTY	5 year limited manufacturer's warranty on door slab. 5 year limited manufacturer's warranty on frame and components if painted within 45 days of purchase.

OPTIONS

DRILLING	Single or double drill available
SIZES	Widths: 2/8, 2/10 and 3/0; Height: 6/8
SWING	Left hand, right hand; Inswing, outswing (outswing not available with metal cladding)
ADD-ONS	See page 17

DOOR DESIGNS AVAILABLE



(As viewed from outside)



*Cutout without glass

M

MAVERICK

Smooth White Fiberglass Slab Wood Frame


The Maverick is suitable for residential applications, outbuildings or garage needs. It has the benefits of a maintenance-free fiberglass door slab with a time trusted wood frame.



SPECS


DOOR	Smooth white, pre-pigmented fiberglass; composite stiles and rails; polyurethane core with steel reinforced full length wood lock block.
FRAME	Kiln-dried, finger-jointed primed pine; available in 4-9/16" and 6-9/16" jamb depth; see page 23 for product details.
FRAME CLADDING	Available with white or black aluminum cladding (exterior of jamb only) with optional slimline aluminum brickmould.
GLASS	Optional glass inserts can be factory installed in the 6 Panel 23" x 37" cutout. For designs refer to page 19.
WARRANTY	25 year limited manufacturer's warranty on door slab. 5 year limited manufacturer's warranty on frame and components if painted within 45 days of purchase.

DOOR DESIGNS AVAILABLE



OPTIONS

DRILLING	Single or double drill available
SIZES	Widths: 2/8, 2/10 and 3/0; Height: 6/8
SWING	Left hand, right hand; Inswing, outswing (outswing not available with metal cladding)
ADD-ONS	See page 17





*Cutout without glass

M DAKOTA

High Definition Steel Slab Composite Frame

The Dakota features a composite maintenance-free frame paired with a high definition, bright white steel slab for long-lasting performance at an affordable price. Strength, beauty and security are consolidated in this popular door system.



SPECS

DOOR	24 gauge primed high-definition steel, bright white; primed wood stiles and top rail; polyurethane core with 12" wood lock block.
FRAME	Maintenance-free, smooth white composite; available in 4-9/16" and 6-9/16" jamb depth; see page 23 for product details.
FRAME CLADDING	Available with white or black aluminum cladding (exterior of jamb only) with optional slimline aluminum brickmould.
GLASS	Optional glass inserts can be factory installed in the 6 Panel 23" x 37" cutout. For designs refer to page 19.
WARRANTY	5 year limited manufacturer's warranty on door slab; 5 year limited manufacturer's warranty on frame and components – no painting required.

OPTIONS

DRILLING	Single or double drill available
SIZES	Widths: 2/8, 2/10 and 3/0; Height: 6/8
SWING	Left hand, right hand; Inswing, outswing (outswing not available with metal cladding)
ADD-ONS	See page 17

DOOR DESIGNS AVAILABLE



Flush


6 Panel



Sunburst

4 Lite

6 Panel with cutout



(As viewed from outside)



*Cutout without glass

TITAN

Smooth White Fiberglass Slab Composite Frame

As the flagship of Madero's Entry Series, the Titan provides the best in strength and security with a maintenance-free design. Built specifically to withstand the harsh Canadian climate, it features a maintenance-free fiberglass door with a composite frame. No painting required.



SPECS

DOOR	Smooth white, pre-pigmented fiberglass; composite stiles and rails; polyurethane core with steel reinforced full length wood lock block.
FRAME	Maintenance-free, smooth white composite; available in 4-9/16" and 6-9/16" jamb depth; see page 23 for product details.
FRAME CLADDING	Available with white or black aluminum cladding (exterior of jamb only) with optional slimline aluminum brickmould.
GLASS	Optional glass inserts can be factory installed in the 6 Panel 23" x 37" cutout. For designs refer to page 19.
WARRANTY	25 year limited manufacturer's warranty on door slab, 5 year limited manufacturer's warranty on frame and components – no painting required.

OPTIONS

DRILLING	Single or double drill available
SIZES	Widths: 2/8, 2/10 and 3/0; Height: 6/8
SWING	Left hand, right hand; Inswing, outswing (outswing not available with metal cladding)
ADD-ONS	See page 17

DOOR DESIGNS AVAILABLE



Flush


6 Panel




Sunburst

4 Lite

6 Panel with cutout



Inswing



Outswing

(As viewed from outside)



M

WORKHORSE COMBO

High Definition Steel Slab
Double Rabbeted Wood Frame

M

WORKHORSE COMBOPLUS

Smooth White Fiberglass Slab
Double Rabbeted Wood Frame


SPECS

DOOR	<p>24 gauge primed high-definition steel, bright white; primed wood stiles and top rail; polyurethane core with 12" wood lock block</p> <p>-OR-</p> <p>Smooth white, pre-pigmented fiberglass; composite stiles and rails; polyurethane core with steel reinforced full length wood lock block.</p>
FRAME	<p>Kiln-dried, finger-jointed primed pine; available in 4-9/16" and 6-9/16" jamb depth; see page 23 for product details. Frame system includes a light weight check chain to prevent the exterior door from overextending and an adjustable strike for extra security.</p>
WARRANTY	<p>25 year limited manufacturer's warranty on fiberglass slab; 5 year limited manufacturer's warranty on steel slab; 5 year limited manufacturer's warranty on frame and components if painted within 45 days of purchase.</p>

OPTIONS

DRILLING	Single or double drill available
SIZES	Widths: 2/8, 2/10 and 3/0; Height: 6/8
SWING	See chart at right
ADD-ONS	Door viewer

DOOR DESIGNS AVAILABLE





Customize Your Door

ADD-ONS / OPTIONS


ENTRY SERIES

Madero's Entry Series door systems have been developed to meet the needs of both residential and commercial environments. Ordered from factory, the add-ons shown below further enhance the door systems for use in your home, garage, shed, or outbuilding.



Commercial Sill

Low profile access provides an uninterrupted entry line, allowing ease of mobility for lawnmowers, dollies, etc. Ideal for high traffic areas. Standard sweep not recommended. Net Frame height: 80-1/8"



Commercial Sweep

Designed for use in conjunction with the commercial sill.



GW124 Shoe

Shoes are attached to the bottom of your door to provide draft protection. The PVC and mohair fins provide an air tight seal between the sill and the door.




Self-Closing Hinges

These hinges are placed in the bottom and middle hinge pockets to pull the door shut after it has been opened and released. Tension is to be adjusted on site.



Door Viewer

Allows sight through the door. Cannot be used with any half lite glass options.



Custom Hardware Preparation

Options for mortise locks or custom drilling available for larger contract orders.



Energy Star and/or NAFS Compliant

NAFS Sill is required in construction requiring a building permit in most Canadian jurisdictions. ENERGY STAR products are independently certified to save energy without sacrificing features or functionality.

Inswing Net Frame height: 82-1/4"

Outswing Net Frame height: 81-1/4"



Residential Mobility Impaired Sill

Low profile access provides for ease of mobility for wheelchairs. The thermal break in the sill helps deter frost buildup. Commercial sweep recommended. Net Frame height: 80-1/8"



PH5900 PVC Slimline Brickmould

A smart alternative to traditional rolled metal clad brickmould. Comes with a nailing fin.

GLASS OPTIONS

ENTRY SERIES



Add-on Blinds For Doors



Easy installation

Add-On Blinds with frame are easy to install right over your existing door glass. All you need is a screwdriver. Frame can be left as is, or painted or stained to your preference.

Light & privacy control

Add-On Blinds offer you unlimited adjustability in controlling the amount of light and privacy you want. Blinds raise, lower, and tilt with smooth fingertip controls.



A Simple Upgrade

Madero's door glass inserts provide an easy do-it-yourself project and are a great way to enhance the beauty of your home's entry system.


Choose from several different glass options, all of which can be installed into an industry standard 23" x 37" half-lite cut out.

Madero's Door Glass Features:

- Door glass designs use handcrafted glass in a variety of textures to create dimension, depth, contrast, and privacy while allowing natural light to enter the home.
- Madero's decorative glass is sealed between two panels of tempered safety glass and insulated for air and water-tight performance.
- 10 year glass seal warranty.
-  signifies Low E coating with Argon gas.



PRIVACY RATING



CLEAR

PL2337-1E RP

- Clear glass
- Privacy rating: 1



9 INTERNAL

PL2337-WIF 5/8 RP

- Clear glass with 5/8" internal grille
- Privacy rating: 1



MINI BLIND

PL2337-MBRL RP

- Clear glass
- Raise, lower & tilt
- Privacy rating: 1/5/10



VENT

MARK-12 VENT RP


- Clear glass with removable screen
- Privacy rating: 1



NOUVEAU

NOUVEAU 684-78R4 RP


- Clear cluster, bevel and glue chip glass with nickel coming
- Privacy rating: 6



CROSSWALK

CROSSWALK 684-CWK RP

- Micro-iced granite with gray and clear softwave glass and nickel coming
- Privacy rating: 8



BISTRO

BISTRO PAT 2236 RP

- Chinchilla glass, beveled clear glass and diamond glass with patina coming
- Privacy rating: 5



ALYS

ALYS PVC 2236 RP

- Sandblasted and V-groove glass
- Privacy rating: 9





CELESTE

CELESTE PVC 2236 RP


- Beveled clear glass, small hammered glass, aqualite glass with patina coming.
- Privacy rating: 5





Printed swatch colours may vary slightly from actual product. If you are concerned about exact colour match, we recommend you first request a product sample for accuracy.

Option to paint one side is available. Specify at time of ordering. Split finish option also available.



PRE-FINISHING OPTIONS

Madero has identified and selected some of the most popular paint and stain colours. Streamline the colour matching process for your project by selecting from Madero's popular colour choices.

Doors left manufacture white will have varying shades of white due to the natural products used.

Contact your supplier for more details. Pre-finishing colours are displayed with corresponding Pantone Matching System® (PMS) codes for ease of reference.

**If you do not choose a colour on one side of the door unit, it will remain in its natural white or primed product colors.*

Steel Doors

Madero's collection of steel entry door systems provide you with the perfect choice to suit your needs from general use to high end quality and appearance.

DURABILITY




Door skins interlock with the stile providing additional support to reduce delamination and stretching.

STRENGTH AND SECURITY

Wood lock block provides strength and security while accommodating a wide range of residential hardware.

ENERGY EFFICIENT

Filled with an insulating core of 100% CFC-free polyurethane foam, providing better energy ratings than a standard styrene core product.



Novatech®

WARRANTY: 5 year limited manufacturer's warranty on door slab. No painting required to achieve full warranty.

ENTRY SERIES

Novatech's N300 series doors are primed for ease of painting and include a 12" wood lock block for residential hardware. Paint is not required to achieve a 5 year limited manufacturer's warranty.

DESIGNER ENTRY

Novatech's N600 series doors are pre-finished with polytex white paint requiring no additional finishing to achieve a 10 year limited manufacturer's warranty. N600 doors include a 16" wood lock block for residential hardware.

ECONOMY

BASIC

DAKOTA

WORKHORSE COMBO

Fiberglass Doors

In 2005, Madero partnered with Nan Ya Plastics, a world leader in the manufacturing of fiberglass, working with the Canadian Research and Development Corporation to develop a maintenance-free door slab which meets the climate conditions found within the Canadian market.

EXCEPTIONAL SECURITY

Full length steel reinforced wood lock block offers exceptional security while allowing a range of hardware mounting options.

ENERGY EFFICIENCY

Filled with an insulating core of 100% CFC-free polyurethane foam, providing an excellent R rating, while bonding the two door skins together.

PERFORMANCE




Rigid structure prevents bowing and warping in extreme temperatures. The fiberglass skins are resistant to dents, dings, splintering and corrosion.

COMPLETELY WATERPROOF

Full length composite stiles and rails provide complete waterproofing for the door's insulation. These stiles will not splinter like wood or delaminate like steel.



WARRANTY: 25 year limited manufacturer's warranty on door slab. No painting required.



MAVERICK

TITAN

WORKHORSE COMBO

WORKHORSE COMBOPLUS

Frame Components

All of Madero's door frame systems are constructed with either wood or composite jamb and brickmould components. Available in 4-9/16" and 6-9/16" jamb depths.

COMPOSITE

Woodgrain textured or pre-pigmented smooth white frame components are a blend of PVC and wood fiber composite substrate. Composite will not discolour, absorb moisture, splinter or rot. Smooth white composite does not require paint while woodgrain composite is supplied in its raw almond finish, requiring paint or stain to achieve a realistic, rich appearance.



WOOD

Kiln dried, primed finger-joint pine—double primed for quality performance and ease of painting. Wood frame requires paint on all exposed surfaces within 45 days of purchase.



SNAPLOCK NAILING FIN

(Composite only)

Incorporating a hinge-style design, Madero's SnapLock nailing fin snaps into place for new home construction or can be scored and trimmed if not required.




FIXED INSWING SILL

Black cap and weatherstrip which is both modern and durable. Black composite substrate for long lasting performance - will never rot. Mill finish deck.



METAL CLADDING OPTIONS

Entry Series available with white or black aluminum cladding (exterior of jamb only) with optional slimline aluminum brickmould.



BALL BEARING HINGES

All Madero Entry Series door systems ship complete with 4" x 4" ball bearing hinges. Madero's standard hinge finish is C-2G zinc plated.



SPECIFICATIONS

ENTRY SERIES

What to Know Before You Order

Entry Series doors are available in standard widths and 6'8" door slab heights, with single or double drilling to accommodate levers, knobs, handlesets and deadbolt hardware. Door handles and deadbolt hardware are not included.

Product Comparisons

Entry Series door systems are available in a variety of door slab and frame choices.

	Steel Slab	Fiberglass Slab	Basic Wood Frame	Basic Composite Frame
<i>Economy</i> [†]	•		•	
<i>Basic</i>	•		•	
<i>Maverick</i>		•	•	
<i>Dakota</i>	•			•
<i>Titan</i>		•		•

[†]Economy door systems are available in a 6 panel inswing design only and **do not** include brickmould.

Product Measurements

For 6/8 height

All Entry Series doors are available in 2" x 4" (4-9/16") or 2" x 6" (6-9/16") construction, left hand or right hand application and inswing or outswing. Economy door systems are available as inswing applications only.

ENTRY SERIES SINGLE DOOR	Net Frame	
	Inswing	Outswing
2/8	33-1/2" x 81-5/8"	33-1/2" x 81"
2/10	35-1/2" x 81-5/8"	35-1/2" x 81"
3/0	37-1/2" x 81-5/8"	37-1/2" x 81"

Finished Frame Heights

Workhorse

Height: 6/8 – 81-5/8"

Rough Opening Measurements (RO)

To calculate rough opening, add 1" to width and add 1/2" to height of net frame.

Outside Measurements of Brickmould (OSM)

To calculate OSM of 2" #180 Step Brickmould:

Inswing – Add 2-1/2" to width and 1-1/4" to height of net frame.

Outswing – Add 3" to width and 1-1/2" to height of net frame.

To calculate OSM of Slimline Brickmould (Aluminum or PVC)

Inswing – Add 15/16" to width and Add 1/2" to height of net frame.

Outswing – Not available.





Checklist for Entry Door Systems

CHECKLIST
ENTRY SERIES

PRODUCT

1. Choose door/frame pairing: (steel or fiberglass door, paired with wood or composite frame)

☐ ECON

☐ BASIC

☐ MAV

☐ DAK

☐ TITAN

☐ WHPC

☐ WHPLUSC

ECONOMY

High Definition Steel Slab
Wood Frame

BASIC

High Definition Steel Slab
Wood Frame

MAVERICK

Smooth White Fiberglass Slab
Wood Frame

DAKOTA

High Definition Steel Slab
Composite Frame

TITAN

Smooth White Fiberglass Slab
Composite Frame

**WORKHORSE
COMBO**

High Definition Steel Slab
Rabbeted Wood Frame

**WORKHORSE
COMBOPLUS**

Smooth White Fiberglass Slab
Rabbeted Wood Frame

STYLE

2. Choose door design: Economy available in 6 Panel only

☐ Clear

☐ 9 Internal

☐ Mini Blind

☐ Vent

☐ Nouveau

☐ Crosswalk

☐ Bistro

☐ Alys

☐ Celeste

☐ 6 Panel

☐ Sunburst

☐ 4 Lite

☐ Cutout to 23" x 37"

☐ Flush

SIZE

3. Choose door size: Economy available in 2/8 and 3/0 only

Width: ☐ 2/8 (32") ☐ 2/10 (34") ☐ 3/0 (36") | Height: ☐ 6/8 (80")

JAMB &
BRICKMOULD

4A. Choose jamb:

☐ Primed Wood ☐ Smooth White Composite ☐ White Clad Jamb ☐ Black Clad Jamb | ☐ 4-9/16" ☐ 6-9/16"


4B. Brickmould: Note: If brickmould is not required, do not check off a box.

☐ Wood ☐ Smooth White Composite ☐ Slimline White Aluminum ☐ Slimline Black Aluminum
☐ PVC PH5900 ☐ Shipped Loose


CONFIGURATION

5. Choose your door system configuration:


(As viewed from outside)




Inswing



Inswing







Outswing



Outswing


Economy available in inswing only
Outswing: N/A with Aluminum Cladding

Workhorse Combo/Plus door system configuration:



PRE-FINISHING

6. Choose your finish. List colour name in appropriate blank provided:



Frame:
Inside: _____ Outside: _____
Door Slab:
Inside: _____ Outside: _____

*If you do not choose a colour on one side of the door unit, it will remain in its natural white or primed product colors.

ADD-ONS
MACHINING

7. Choose your add-ons:

☐ Commercial Sill ☐ Commercial Sweep ☐ GW124 Shoe ☐ Self-Closing Hinges ☐ Door Viewer
☐ Custom Hardware Prep. ☐ NAFS Sill ☐ PH5900 PVC Slimline Brickmould ☐ Residential Mobility Impaired Sill

8. Choose desired hardware drilling prep:

☐ SD (Single Drill) ☐ DD (Double Drill)

Customer Signature: _____ Date: _____

Store Name or #: _____ Tag: _____ PO #: _____

EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE



DESIGNER ENTRY SERIES

2020



DESIGNER ENTRY COLLECTION

Modern designs with the functionality of the Entry Collection. Madero offers a popular line-up of Entry doors that provide the utmost street appeal. Our doors are built with quality and performance in mind; perfect for all single openings. For designer options to fit your style and budget - choose Madero.

BLACK & WHITE SERIES

Available in steel doors only, this system features a factory Polytex finish: black on the exterior, white on the interior. The frame is clad with black aluminum to the exterior and is complete with slimline aluminum brickmould. Available as inswing only.



BASIC

High Definition Steel Slab
Wood Frame

MAVERICK

Smooth White Fiberglass Slab
Wood Frame

DAKOTA

High Definition Steel Slab
Composite Frame

TITAN

Smooth White Fiberglass Slab
Composite Frame

Table of Contents

3 Lite	4
Spotlite Model 845 - 5 Lite	5
One Lite	6
Spotlite Model 840 - 3 Lite	7
4 Lite.....	8
Narrow Lite	9
Checklist How to Order.....	10
Direct Glazed Sidelite - Add on	11



3 LITE

Renovate with style and choose a 3 Lite modern door. The Frosted Low E glass gives a highly private entryway, while Clear Low E provides maximum light and viewing. This photo showcases optional factory painting in Colony Blue.



SPOTLITE MODEL 842 - 5 LITE

Architectural style is what gives a home its character. The Spotlight Model 842 features five 22" x 3" inserts factory installed horizontally. Available in Clear or Frosted glass. This image showcases the Black & White series.



ONE LITE

A One Lite door system is perfect for every entryway in your home. This design opens to the outdoors beautifully and efficiently. When choosing Frosted Low E glass, the unit gives complete privacy while still allowing light to filter through. Clear Low E provides maximum viewing to your outdoor space. This photo showcases optional factory painting in Melon.



SPOTLITE MODEL 840 - 3 LITE

A retro look that is even more popular today than it was back then. The Model 840 3 Lite features 12" x 12" factory installed inserts centered in the door. Available in Clear or Frosted glass. This photo showcases the Black & White series.



4 LITE

A 4 Lite door system creates a statement both inside and out. This style wins as the designer's choice every time. When choosing Frosted Low E glass, the unit gives complete privacy while still allowing light to filter through. Clear Low E provides maximum viewing to your outdoor space. This photo showcases optional factory painting in Ash.



NARROW LITE

Trends come and go, good designs last. The Narrow Lite features a 7" x 64" insert installed on either the left or right hand side of your door. Available in factory installed Clear or Frosted glass. This image showcases black painting inside and out.



Checklist for Designer Entry Door Systems

PRODUCT

1. Choose door/frame pairing:

☐ BASIC
BASIC

High Definition Steel Slab
Wood Frame

☐ MAV
MAVERICK

Smooth White Fiberglass Slab
Wood Frame

☐ DAK
DAKOTA

High Definition Steel Slab
Composite Frame

☐ TITAN
TITAN

Smooth White Fiberglass Slab
Composite Frame

DOOR

☐ White ☐ Black (Exterior) & White (Interior) Series (Basic, Dakota only)

STYLE

2. Choose door design:

☐ Narrow Lite Clear (Right) ☐ Narrow Lite Clear (Left) ☐ Narrow Lite Frosted (Right) ☐ Narrow Lite Frosted (Left)
☐ 3 Lite Clear ☐ 3 Lite Frosted ☐ 4 Lite Clear ☐ 4 Lite Frosted ☐ 5 Lite Clear ☐ 5 Lite Frosted
☐ Spot 3 Lite Clear ☐ Spot 3 Lite Frosted ☐ One Lite Clear ☐ One Lite Frosted

SIZE

3. Choose door size:

Width: ☐ 2/8 (32") ☐ 3/0 (36") | **Height:** ☐ 6/8 (80")

JAMB &
BRICKMOULD

4A. Choose jamb:

☐ Primed Wood ☐ Smooth White Composite ☐ White Clad Jamb ☐ Black Clad Jamb ☐ 4-9/16" ☐ 6-9/16"





4B. Brickmould: Note: If brickmould is not required, do not check off a box.

☐ Wood ☐ Smooth White Composite ☐ Slimline White Aluminum ☐ Slimline Black Aluminum
☐ PVC PH5900 ☐ Shipped Loose

CONFIGURATION

5. Choose your door system configuration (as viewed from outside)

Outswing: N/A with Aluminum Cladding



PRE-FINISHING

6. Choose your finish. List colour name in appropriate blank provided:



☐ Espresso ☐ Cranberry ☐ Stone ☐ Tangerine ☐ Buttercup ☐ Cadet Navy ☐ Melon ☐ Persimmon ☐ Black ☐ Warm White ☐ Colony ☐ Ash

Frame:
Inside: _____ Outside: _____

Door Slab:
Inside: _____ Outside: _____

**If you do not choose a colour on one side of the door unit, it will remain in its natural white or primed product colors.*

MACHINING


7. Choose desired hardware drilling prep:

☐ SD (Single Drill) ☐ DD (Double Drill)

Customer Signature: _____ Date: _____

Store Name or #: _____ Tag: _____ PO #: _____

While Madero makes every effort to ensure the information contained in this brochure is accurate, we do not accept liability for any inaccuracies. This brochure is subject to change, as well as errors and omissions, without notice or liability. Doors are provided unfinished/unstained and without hardware unless otherwise noted. All photos are for illustration purposes only and depicted doors and frames may not represent Madero products.



ARTISAN DOORS

Visit our web page at Madero.ca for the complete Madero product offering.